

E-mail: info@dansand.dk
Tlf.: +45 8682 5811
Producent:

Ansvarlig: Afdelingschef – QHSE, Morten Grundvad
Varenummer: 857114
Produktbetegnelse: Crushed olivine coated with chromium-poor cement

EVERZIT® DOL

An effective, all-natural filter material

Description

Everzit is a natural lime product, which is available in different grain sizes. The product is used together with a sand filter and helps to remove iron and aggressive carbon dioxide. Everzit can be used to purify drinking water.

BENEFITS OF EVERZIT

- Helps remove iron and aggressive carbon dioxide
- Natural lime product
- Available in different grain sizes

Specifications

STORAGE

Dry, under cover and with no risk of contamination

DELIVERY

25 kg plastic bags.

ENVIRONMENTAL INFORMATION AND DISPOSAL

Prevent dust. Packaging and used filter material should be disposed of in accordance with local requirements.

PHYSICAL PROPERTIES

Grain size 0	0.5-1.6 mm
Grain size 1	0.5-2.5 mm
Grain size 2	2.0-4.5 mm

Grain size 3	4.0-7.0 mm
--------------	------------

CHEMICAL ANALYSIS

Calcium carbonate CaCO ₃	Approximately 68.9 %
Calcium oxide CaO	Approximately 1.4 %
Magnesium oxide MgO	Approximately 25.4 %
Magnesium carbonate MgCO ₃	Approximately 0.6 %
Iron oxide Fe ₂ O ₃	
Aluminium oxide Al ₂ O ₃	
Silicium dioxide SiO ₂	Approximately 0.3 %
Water H ₂ O	Approximately 2.7 %

Manual

APPLICATION

Everzit is used together with a sand filter and heæps to remove iron and aggressive carbon dioxide. Everzit can be used to purify drinking water.

DOWNLOADS

- Everzit Dol productinformation
- Everzit Dol data sheet



EVERZIT® DOL

Varianter: Crushed olivine coated with chromium-poor cement