

E-mail: info@dansand.dk
Tel: +45 8682 5811
Producer: DANSAND A/S, Lervejdal 8B, 8740 Brædstrup

Responsible: Afdelingschef – QHSE, Morten Grundvad
Item number: 400126
Product designation: Washed, sorted quartz sand and added iron sulphate

Dansand® Springstart

Brings out the juicy green colour of your grass

Description

DANSAND® Springstart gives the grass the juicy, green colour all greenkeepers dream of.

DANSAND® Springstart is a combination of the premium product [DANSAND Superdres®](#) and liquid ferrous sulphate.

Iron plays an important role in the plants' synthesis of chlorophyll, which helps to produce the green color in the grass. However, iron should be dosed in small amounts and distributed evenly on the surface to avoid abrasion and dead spots. In Dansand® Springstart, the iron is coated around each individual grain of sand. This makes it easy to distribute the concentrated nutrient evenly on the surface and without any risk of the grass burning off.

With DANSAND® Springstart, you can topdress and add iron in one and the same work process. It not only saves resources on the material and manpower side, but also time. Time that can be used to topdress the course more often than is otherwise possible in a busy everyday life.

ADVANTAGES OF DANSAND SPRINGSTART®

- Brings out the juicy green colour of the grass
- Top dressing and iron supply in the same work process
- Saves time and materials
- No risk of fertiliser burn or dead spots

Specifications

DECLARATION

Product description: Washed and sifted quartz sand with liquid iron sulphate added.
Product number: 400126

STORAGE



Covered and without risk of contamination.

DELIVERY

The product is delivered loose as a bulk item.

Diameter - mm	Passing - w %
3.4	100
2	100
1	99.0
0.5	51.0
0.25	15.0
0.15	1.0
0.053	0.1

Category	Diameter - mm	Retained W %
Coarse Gravel	> 3.4	0
Fine Gravel	2.0 - 3.4	0
Very Coarse Sand	1.0 - 2.0	1.0
Coarse Sand	0.5 - 1.0	48.0
Medium Sand	0.25 - 0.5	36.0
Fine Sand	0.15 - 0.25	14.0
Very Fine Sand	0.05 - 0.15	0.9
Silt / Clay	< 0.05	0.1



Analysis data should be considered as guidance only. The raw material is a natural product whose composition may vary.

Humus - weight %	0
pH	8
Iron (II) sulfate - kg/tons	1

Manual

APPLICATION

Combined topdressing and liquid ferrous sulphate.



Dansand® Springstart

Variants: 400126