

E-mail: info@dansand.dk
Tel: +45 8682 5811

Producer: DANSAND A/S, Lervejdal 8B, 8740 Brædstrup

Responsible: Item number: Product designation: Afdelingschef – QHSE, Morten Grundvad

400138

Washed and sorted quarz sand

Dansand Superdres®

Even, healthy greens

Description

DANSAND Superdres[®] is specially developed for the continuous top dressing of greens. Superdres® consists of round-edged silica sand washed completely clean of clay,

fines and organic material. If Superdres® is part of a regular topdressing program, it is a very effective means of diluting felt in greens and creating smooth, firm surfaces. The grain curve follows the USGA's recommendations with a predominance of medium-sized grains. It provides an airy product that does not pack, but instead provides plenty of air to the roots and ensures optimal surface drainage.

Superdres® does not contain sand grains over 1 mm, making the top dressing gentle on both cutting equipment and golfers - even on the day where topdressing has been laid out.

ADVANTAGES OF DANSAND SUPERDRES®

- Thins out felt and creates smooth, firm surfaces
- Provides light and air to the roots
- Free from clay, fines and organic matter
- The grain curve follows USGA recommendations
- Gentle on cutting equipment

Specifications

DECLARATION

Product description: Washed and sifted silica sand Product

number: 400138

| Diameter - mm | Passing - w % |
|---------------|---------------|
| 3.4 | 100 |
| 2 | 100 |
| 1 | 99.0 |
| 0.5 | 51 |

STORAGE

Covered and without risk of contamination.

DELIVERY

Delivered in bulk.


| Category | Diameter - mm | Retained W % | Tolerance |
|---------------------|------------------|-----------------|-----------|
| Coarse Gravel | > 3.4 | 0 | 0 |
| Fine Gravel | 2.0 - 3.4 | 0 | 0 ≤ 3 % |
| Very Coarse Sand | 1.0 - 3.4 | 1.0 | * ≤ 10 % |


16.01.22 Page: 1



| 0.25 | 15 |
|-------|-----|
| 0.15 | 1.0 |
| 0.053 | 0 |

| Coarse Sand | 0.5 - 1.0 | 84 | ≥ 60 % |
|-------------------|-------------|-----|--------|
| Medium Sand | 0.25 - 0.5 | 84 | ≥ 60 % |
| Fine Sand | 0.15 - 0.25 | 15 | ≤ 20 % |
| Very Fine Sand | 0.05 - 0.15 | 1.0 | ≤ 5 % |
| Silt / Clay | < 0.05 | 0 | ≤ 5 % |





Analysis data should be considered as guidance only. The raw material is a natural product whose composition may vary.

Humus - weight % 0.00

Manual

APPLICATION

For ongoing topdressing of greens.

16.01.22 Page: 2





Dansand Superdres®

Variants: 400138

16.01.22 Page: 3