

E-mail: info@dansand.dk
Tel: +45 8682 5811
Producer:

Responsible: Afdelingschef – QHSE, Morten Grundvad
Item number: 857114
Product designation: Crushed olivine coated with chromium-poor cement

EVERZIT® DOL

An effective, all-natural filter material

Description

Everzit is a natural lime product, which is available in different grain sizes. The product is used together with a sand filter and helps to remove iron and aggressive carbon dioxide. Everzit can be used to purify drinking water.

BENEFITS OF EVERZIT

- Helps remove iron and aggressive carbon dioxide
- Natural lime product
- Available in different grain sizes

Specifications

STORAGE

Dry, under cover and with no risk of contamination

DELIVERY

25 kg plastic bags.

ENVIRONMENTAL INFORMATION AND DISPOSAL

Prevent dust. Packaging and used filter material should be disposed of in accordance with local requirements.

PHYSICAL PROPERTIES

| | |
|--------------|------------|
| Grain size 0 | 0.5-1.6 mm |
| Grain size 1 | 0.5-2.5 mm |
| Grain size 2 | 2.0-4.5 mm |

| | |
|--------------|------------|
| Grain size 3 | 4.0-7.0 mm |
|--------------|------------|

CHEMICAL ANALYSIS

| | |
|--|----------------------|
| Calcium carbonate CaCO ₃ | Approximately 68.9 % |
| Calcium oxide CaO | Approximately 1.4 % |
| Magnesium oxide MgO | Approximately 25.4 % |
| Magnesium carbonate MgCO ₃ | Approximately 0.6 % |
| Iron oxide Fe ₂ O ₃ | |
| Aluminium oxide Al ₂ O ₃ | |
| Silicium dioxide SiO ₂ | Approximately 0.3 % |
| Water H ₂ O | Approximately 2.7 % |

Manual

APPLICATION

Everzit is used together with a sand filter and heæps to remove iron and aggressive carbon dioxide. Everzit can be used to purify drinking water.

DOWNLOADS

- Everzit Dol productinformation
- Everzit Dol data sheet



EVERZIT® DOL

Variants: Crushed olivine coated with chromium-poor cement